





13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	8902243	Report of Analysis		Report Number: 21-137-4163																																																																																																																																																	
<b>Account:</b> 25124	RUSTY WILLARD CITY OF DENTON 1100 SOUTH MAYHILL RD DENTON TX 76208			 Robert Ferris Account Manager 402-829-9871																																																																																																																																																	
<b>Date Sampled:</b>	2021-05-03																																																																																																																																																				
<b>Date Received:</b> <b>Sample ID:</b>	2021-05-04 January and February 2021																																																																																																																																																				
				January and February Screened Co																																																																																																																																																	
Total content, lbs per ton (as rec'd)																																																																																																																																																					
<table border="1"> <thead> <tr> <th></th> <th></th> <th>Analysis (as rec'd)</th> <th>Analysis (dry weight)</th> <th></th> </tr> </thead> <tbody> <tr> <td colspan="5"><b>NUTRIENTS</b></td> </tr> <tr> <td colspan="5">Nitrogen</td> </tr> <tr> <td>Total Nitrogen</td> <td>%</td> <td>1.07</td> <td>1.93</td> <td>21.4</td> </tr> <tr> <td>Organic Nitrogen</td> <td>%</td> <td>1.01</td> <td>1.82</td> <td>20.2</td> </tr> <tr> <td>Ammonium Nitrogen</td> <td>%</td> <td>0.042</td> <td>0.076</td> <td>0.8</td> </tr> <tr> <td>Nitrate Nitrogen</td> <td>%</td> <td>0.02</td> <td>0.04</td> <td>0.4</td> </tr> <tr> <td colspan="5">Major and Secondary Nutrients</td> </tr> <tr> <td>Phosphorus</td> <td>%</td> <td>0.54</td> <td>0.98</td> <td>10.8</td> </tr> <tr> <td>Phosphorus as P2O5</td> <td>%</td> <td>1.24</td> <td>2.24</td> <td>24.8</td> </tr> <tr> <td>Potassium</td> <td>%</td> <td>0.27</td> <td>0.49</td> <td>5.4</td> </tr> <tr> <td>Potassium as K2O</td> <td>%</td> <td>0.32</td> <td>0.58</td> <td>6.4</td> </tr> <tr> <td>Sulfur</td> <td>%</td> <td>0.38</td> <td>0.69</td> <td>7.6</td> </tr> <tr> <td>Calcium</td> <td>%</td> <td>2.91</td> <td>5.26</td> <td>58.2</td> </tr> <tr> <td>Magnesium</td> <td>%</td> <td>0.15</td> <td>0.27</td> <td>3.0</td> </tr> <tr> <td>Sodium</td> <td>%</td> <td>0.040</td> <td>0.072</td> <td>0.8</td> </tr> <tr> <td colspan="5">Micronutrients</td> </tr> <tr> <td>Iron</td> <td>ppm</td> <td>20000</td> <td>36134</td> <td>40.0</td> </tr> <tr> <td>Manganese</td> <td>ppm</td> <td>247</td> <td>446</td> <td>0.5</td> </tr> <tr> <td>Boron</td> <td>ppm</td> <td>&lt; 100</td> <td>---</td> <td>---</td> </tr> <tr> <td colspan="5"><b>OTHER PROPERTIES</b></td> </tr> <tr> <td>Moisture</td> <td>%</td> <td>44.65</td> <td></td> <td></td> </tr> <tr> <td>Total Solids</td> <td>%</td> <td>55.35</td> <td></td> <td>1107.0</td> </tr> <tr> <td>Organic Matter</td> <td>%</td> <td>28.10</td> <td>50.77</td> <td>562.0</td> </tr> <tr> <td>Ash</td> <td>%</td> <td>26.60</td> <td>48.06</td> <td>532.0</td> </tr> <tr> <td>Total Carbon</td> <td>%</td> <td>13.88</td> <td>25.08</td> <td></td> </tr> <tr> <td>Chloride</td> <td>%</td> <td>0.01</td> <td>0.02</td> <td></td> </tr> <tr> <td>pH</td> <td></td> <td>7.3</td> <td></td> <td></td> </tr> <tr> <td>Conductivity 1:5 (Soluble Salts)</td> <td>mS/cm</td> <td>4.2</td> <td></td> <td></td> </tr> </tbody> </table>							Analysis (as rec'd)	Analysis (dry weight)		<b>NUTRIENTS</b>					Nitrogen					Total Nitrogen	%	1.07	1.93	21.4	Organic Nitrogen	%	1.01	1.82	20.2	Ammonium Nitrogen	%	0.042	0.076	0.8	Nitrate Nitrogen	%	0.02	0.04	0.4	Major and Secondary Nutrients					Phosphorus	%	0.54	0.98	10.8	Phosphorus as P2O5	%	1.24	2.24	24.8	Potassium	%	0.27	0.49	5.4	Potassium as K2O	%	0.32	0.58	6.4	Sulfur	%	0.38	0.69	7.6	Calcium	%	2.91	5.26	58.2	Magnesium	%	0.15	0.27	3.0	Sodium	%	0.040	0.072	0.8	Micronutrients					Iron	ppm	20000	36134	40.0	Manganese	ppm	247	446	0.5	Boron	ppm	< 100	---	---	<b>OTHER PROPERTIES</b>					Moisture	%	44.65			Total Solids	%	55.35		1107.0	Organic Matter	%	28.10	50.77	562.0	Ash	%	26.60	48.06	532.0	Total Carbon	%	13.88	25.08		Chloride	%	0.01	0.02		pH		7.3			Conductivity 1:5 (Soluble Salts)	mS/cm	4.2		
		Analysis (as rec'd)	Analysis (dry weight)																																																																																																																																																		
<b>NUTRIENTS</b>																																																																																																																																																					
Nitrogen																																																																																																																																																					
Total Nitrogen	%	1.07	1.93	21.4																																																																																																																																																	
Organic Nitrogen	%	1.01	1.82	20.2																																																																																																																																																	
Ammonium Nitrogen	%	0.042	0.076	0.8																																																																																																																																																	
Nitrate Nitrogen	%	0.02	0.04	0.4																																																																																																																																																	
Major and Secondary Nutrients																																																																																																																																																					
Phosphorus	%	0.54	0.98	10.8																																																																																																																																																	
Phosphorus as P2O5	%	1.24	2.24	24.8																																																																																																																																																	
Potassium	%	0.27	0.49	5.4																																																																																																																																																	
Potassium as K2O	%	0.32	0.58	6.4																																																																																																																																																	
Sulfur	%	0.38	0.69	7.6																																																																																																																																																	
Calcium	%	2.91	5.26	58.2																																																																																																																																																	
Magnesium	%	0.15	0.27	3.0																																																																																																																																																	
Sodium	%	0.040	0.072	0.8																																																																																																																																																	
Micronutrients																																																																																																																																																					
Iron	ppm	20000	36134	40.0																																																																																																																																																	
Manganese	ppm	247	446	0.5																																																																																																																																																	
Boron	ppm	< 100	---	---																																																																																																																																																	
<b>OTHER PROPERTIES</b>																																																																																																																																																					
Moisture	%	44.65																																																																																																																																																			
Total Solids	%	55.35		1107.0																																																																																																																																																	
Organic Matter	%	28.10	50.77	562.0																																																																																																																																																	
Ash	%	26.60	48.06	532.0																																																																																																																																																	
Total Carbon	%	13.88	25.08																																																																																																																																																		
Chloride	%	0.01	0.02																																																																																																																																																		
pH		7.3																																																																																																																																																			
Conductivity 1:5 (Soluble Salts)	mS/cm	4.2																																																																																																																																																			

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	8902243	<b>Biological &amp; Physical Properties</b>	Report Number: 21-137-4163						
<b>Account:</b> 25124	RUSTY WILLARD CITY OF DENTON 1100 SOUTH MAYHILL RD DENTON TX 76208		 Robert Ferris Client Service Representative 402-829-9871						
<b>Date Sampled:</b>	2021-05-03		January and February Screened Co						
<b>Date Received:</b>	2021-05-04								
<b>Sample ID:</b>	January and February 2021								
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 15%;">Analysis (as rec'd)</th> <th style="width: 15%;">Analysis (dry weight)</th> <th style="width: 10%;">Units</th> <th style="width: 10%;">Detection Limit</th> <th style="width: 20%;">Method</th> </tr> </thead> </table>					Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method
	Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method				
<b>Biological Properties</b>									
Germination	90		%	1	TMECC 05.05A				
Germination Vigor	86		%	1	TMECC 05.05A				
CO <sub>2</sub> OM Evolution	0.06		mgCO <sub>2</sub> -C/gOM/day	0.01	TMECC 05.08B				
CO <sub>2</sub> Solids Evolution	0.11		mgCO <sub>2</sub> -C/gTS/day	0.01	TMECC 05.08B				
Fecal Coliform		< 0.2	mpn/g	0.2	EPA 1681				
Salmonella		< 0.26	mpn/4g	0.26	EPA 1682				
Stability Rating	Stable		N/A	N/A	TMECC 05.08B				
<b>Physical Properties</b>									
Bulk Density (Loose)	977		lbs/cu yard	1	WT/VOL				
Bulk Density (Packed)	1281		lbs/cu yard	1	WT/VOL				
Film Plastics	n.d.		%	0.25	Microscopic				
Glass Fragments	n.d.		%	0.25	Microscopic				
Hard Plastics	n.d.		%	0.25	Microscopic				
Metal Fragment	n.d.		%	0.25	Microscopic				
Sharps	Absent		---	---	Microscopic				
Max. Particle Length		1.5	inches	N/A	TMECC Sieve				
Sieve % Passing 3"		100	%	0.01	TMECC Sieve				
Sieve % Passing 2"		100	%	0.01	TMECC Sieve				
Sieve % Passing 1.5"		100	%	0.01	TMECC Sieve				
Sieve % Passing 1"		100	%	0.01	TMECC Sieve				
Sieve % Passing 3/4"		100	%	0.01	TMECC Sieve				
Sieve % Passing 5/8"		100	%	0.01	TMECC Sieve				
Sieve % Passing 3/8"		100	%	0.01	TMECC Sieve				
Sieve % Passing 1/4"		97	%	0.01	TMECC Sieve				

## Compost Results Interpretations

Page 1

Report #:

21-137-4163

DATE RECEIVED:

2021-05-04

### Organic Matter %

28.10 As Received

50.77 Dry Weight

Greater than 20% indicates a desirable range for compost on a dry weight basis.

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

### C/N Ratio

13:1

20-30 indicates an ideal range for the initial compost process.

10-20 indicates an ideal range for a finished compost.

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

### Moisture %

44.65

<35% = Indicates overly dry compost

>55% = Indicates overly wet compost

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #:

21-137-4163

DATE RECEIVED:

2021-05-04

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

Conductivity 1:5
4.2

Conductivity Level	Interpretation
Greater than 10	Very High nutrient content. Use for Ag Applications
5 - 10	High nutrient content. Use for Ag Applications
3 - 5	Higher than desirable for salt sensitive plants, some loss of vigor
0.6 - 3	Desirable range for most plants
0.3 - 0.6	Ideal range for greenhouse growth media
0.0 - 0.3	Very Low: Indicates very low nutrient status: plants may show deficiencies.

Compost Results Interpretations  
Page 3

Report #: 21-137-4163  
DATE RECEIVED: 2021-05-04

**pH Value**  
7.3

0 to 14 scale with 6 to 8 as normal pH levels for compost  
A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

**Nutrient Index (Ag Index)**  
>10

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

AG INDEX CHART										
<i>salt injury possible</i>	<i>use on soils with excellent drainage characteristics, good water quality and low salts</i>				<i>you may use on soils with poor drainage, poor water quality, or high salts</i>				<i>for all soils</i>	
1	2	3	4	5	6	7	8	9	10	> 10

**Nutrients (N+P205+K20)**

4.75 Average Nutrient Content Dry Weight <2 = Low, >5 = High  
1-1-0.5 Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.

**21-137-4163**

REPORT DATE  
**May 17, 2021**  
 RECEIVED DATE  
**May 04, 2021**

SEND TO  
**25124**



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
 www.midwestlabs.com

ISSUE DATE  
**May 17, 2021**

**CITY OF DENTON**  
**RUSTY WILLARD**  
**1100 SOUTH MAYHILL RD**  
**DENTON TX 76208**

**REPORT OF ANALYSIS**  
 For: (25124) CITY OF DENTON  
 January and February Screened Compost 2021

Sample ID: **January and February 2021** Lab Number: **8902243** Date Sampled: **2021-05-03 0800**

Analysis	Level Found		Reporting		Method	Analyst- Date	Verified- Date
	As Received	Dry Weight	Units	Limit			
Cadmium (total)	0.65	1.18	mg/kg	0.50	EPA 6010	ery3-2021/05/06	kkh9-2021/05/07
Chromium (total)	50.1	90.6	mg/kg	1.00	EPA 6010	ery3-2021/05/06	kkh9-2021/05/07
Mercury (total)	0.06	0.10	mg/kg	0.05	EPA 7471	jmw0-2021/05/07	kkh9-2021/05/07
Lead (total)	5.3	9.5	mg/kg	5.0	EPA 6010	ery3-2021/05/06	kkh9-2021/05/07
Molybdenum (total)	3.7	6.7	mg/kg	1.0	EPA 6010	ery3-2021/05/06	kkh9-2021/05/07
Nickel (total)	8.4	15.2	mg/kg	1.0	EPA 6010	ery3-2021/05/06	kkh9-2021/05/07
Selenium (total)	n.d.	n.d.	mg/kg	10.0	EPA 6010	ery3-2021/05/06	kkh9-2021/05/07
Zinc (total)	152.9	276.3	mg/kg	2.0	EPA 6010	ery3-2021/05/06	kkh9-2021/05/07
Copper (total)	118	214	mg/kg	1	EPA 6010	ery3-2021/05/06	kkh9-2021/05/07
Arsenic (total)	2.00	3.62	mg/kg	0.50	EPA 6020	pid8-2021/05/07	kkh9-2021/05/07

EPA 1681 holding time of < 24 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.

EPA 1682 holding time of < 6 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. If a level of Salmonella was reported, the value would be considered an estimate. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.  
 n.d. = not detected , ppm = parts per million, mg/kg

For questions please contact:

The result(s) issued on this report only reflect the analysis of

Our reports and letters are for the exclusive and confidential use of our clients and may not be used for any other purpose, news release, or other public use without the prior written authorization of Midwest Laboratories.

Rob Ferris  
 Account Manager

may any reference be made  
 prior written authorization.



13611 B Street | Omaha, NE 68144-3693 | 402-334-7770



8902243-243  
Samples: 1  
Page: 1/3  
Ashly Hines  
2021 05 04 09:55

**SUBMITTAL FORM**

Order Number: 949005

Order Date: 2021-05-03 11:40:23

Submitted By: Billy Downey

Account: 25124  
CITY OF DENTON  
1100 SOUTH MAYHILL RD  
DENTON, TX 76208

Sample Description: January and February Screened Compost 2021

**SAMPLES FOR ANALYSIS**

**Compost**



949005-1

Date Sampled: 2021-05-03

Sample ID: January and February 2021

**8902243**

Time Sampled: 0800

**Analysis Requested:**

STA COMPOST (Carbon (total), Loss on ignition (OM), Nitrogen (total), Ammonium nitrogen (total), Germination vigor, Sieve (ret) 3-8 in. 9.25 mm, Salmonella, CO2 OM Evolution, CO2 Solids Evolution, Stability rating, % passing - 3" sieve (DW), % passing - 3/4" sieve (DW), Fecal coliforms, % passing - 1" sieve (DW), % passing - 1.5" sieve (DW), % passing - 1/4" sieve (DW), Sieve maximum particle length (Inches), Cadmium (total), Chromium (total), Mercury (total), Lead (total), Molybdenum (total), Nickel (total), Germination, % passing - 5/8" sieve (DW), Conductivity 1:5 dilution, Sulfur (total), Magnesium (total), Iron (total), Calcium (total), Sodium (total), Manganese (total), Bulk density (packed), Bulk density (loose), Film plastic, Glass fragments, Hard plastic, Metal fragments, Sharps, Chloride, Boron (total), Phosphate (P2O5), Nitrate-nitrogen, Ash, Moisture, % passing - 2" sieve (DW), Selenium (total), Zinc (total), Potash (K2O), Copper (total), Arsenic (total), pH)

12.65 AU

8902243-243  
 Samples: Page: 1 2/3  
 Ashlyn Heman  
 2021 05 04 09:35



US COMPOSTING COUNCIL

OFFICIAL Seal of Testing Assurance  
 Compost Sample Chain of Custody Form

STA Laboratory: **Midwest Laboratories** Tel: **402-334-7770**  
 Address: **13611 B Street** FAX:  
 City, State Zip code: **Omaha NE 68144** Email:

Client/Reporting Company: **City of Denton** Tel: **940-349-8626**  
 Contact Name: **Billy Downey** FAX:  
 Billing Address: **1100 South-Mayhill Road** Email:  
 City, State Zip code: **Denton, Texas 76208**

Send Results to:  
 City, State Zip code:

Name or Source of Sample(s):  
 Name of Person(s), Sample Collector(s): **Billy Downey**

LABORATORY USE ONLY Storage Locations  
 Freezer \_\_\_\_\_ Cold Room \_\_\_\_\_ Storage Shelf \_\_\_\_\_

Sample Condition: \_\_\_\_\_  
 Temperature: \_\_\_\_\_ Moisture: \_\_\_\_\_

Sample Type:  POINT  COMPOSITE  STRATIFIED  INTERVAL

P.O. Number: \_\_\_\_\_

USCC Member:  YES  NO

SELECTION OF ANALYSIS: Refer to <http://www.tmecc.org/cap/methods.html> for details.  
 STA Sulle; State DOT Tests (indicate State); A, B, C – Specify other tests in fields A through C, (e.g., tests required for regulated samples, etc.). NOTE! STA analytical results via the STA Compost Technical Data Sheet and this Chain of Custody form are submitted to STA program management.

A B C

Client Sample ID and Special Instructions	1. List Feedstocks		Collection Date/Time	Sample Matrix	Composting Operation Type	Shipping Temperature	Indicate Compost Analysis Requirements (*Identify state)			LAB USE ONLY Job Number & Sample Status
	2. Check all that apply	3. List % by volume. (Optional)					A	B	C	
Jan. 2021	<input checked="" type="checkbox"/> Green waste	_____ Carcass	Date: <b>5/3/2021</b>	Compost <input checked="" type="checkbox"/>	Windrow <input checked="" type="checkbox"/>	Ambient <input type="checkbox"/>		<b>A B C</b>		
Feb. 2021	_____ Manure	_____ Fish Waste	Time: <b>8:00 am</b>	Feedstock <input type="checkbox"/>	Static pile <input type="checkbox"/>	Wet Ice <input checked="" type="checkbox"/>				
Stockpiles	<input checked="" type="checkbox"/> Food	_____ Grease, Fats	Initials: <b>BD</b>	Mulch <input type="checkbox"/>	In-Vessel <input type="checkbox"/>	Dry Ice <input type="checkbox"/>				

INFORM THE STA LABORATORY AND SPECIFY THE REQUIRED LABORATORY TESTS WHEN SUBMITTING REGULATED COMPOST SAMPLES (please use spaces A, B and C provided above).  
 PLEASE PROVIDE SPECIFIC FEEDSTOCK AND OPERATIONAL DETAIL IN THE SPACE PROVIDED.  
 YOUR VOLUNTEERED INFORMATION PROVIDES USCC STANDARDS AND PRACTICES COMMITTEE WITH CRUTIAL DATA NEEDED TO BETTER UNDERSTAND THE COMPOSTING PROCESS AND COMPOST END USES.

Releasing Signature 1	Date <b>5/3/2021</b>	Time <b>12:00 pm</b>	Receiving Signature 1	Date <b>5/4/21</b>	Time <b>0905</b>
Releasing Signature 2	Date	Time	Receiving Signature 2	Date	Time
Releasing Signature 3	Date	Time	Receiving Signature 3	Date	Time
Releasing Signature 4	Date	Time	Receiving Signature 4	Date	Time

12.6<sup>c</sup>





# Sample Acceptance Checklist

Document Number: RC CHKLIST 001

Revision No.: 4

Effective Date: 1/31/2019

Page 1 of 1

8902243-243  
 Samples: Page:  
 1 3/3  
 Ashlyn Himes  
 2021 05 04 09:35

Lab Number:

*one ice pack*

Thermometer Used:  Therm Fisher IR 1

Cooler Intact:  Yes  No  
 Received on Ice:  Yes  No  
 Hand Delivered:  Yes  No

Sample Temperature (°C): 12.6

Date & Initials of person accepting samples: AS 5/4/21

Comments

Chain of Custody present?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample ID(s):	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample Location(s):	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Client contact:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Analysis Requested:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Date & Time of collection:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sampler name on COC?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Chain of custody relinquished with signature?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Chain of custody complete?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample labels match COC?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Written in indelible ink?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Labels indicate proper preservation?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Samples arrived within hold time?	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	<i>Micro expired over hold time</i>
Samples arrived within correct temperature?	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sufficient volume?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Appropriate containers used?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Headspace in VOA vials?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Trip Blank present?	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	

Client Notification/Resolution: \_\_\_\_\_ Date/Time Contacted: \_\_\_\_\_

Person Contacted: \_\_\_\_\_ Contacted By: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_