





13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	Report of Analysis		Report Number: 22-283-4026																																																																																																																																																		
Account: 25124	RUSTY WILLARD CITY OF DENTON 1100 SOUTH MAYHILL RD DENTON TX 76208		 Robert Ferris Account Manager 402-829-9871																																																																																																																																																		
Date Sampled: Date Received: Sample ID:	2022-09-26 2022-09-27 JUL-AUG2022																																																																																																																																																				
			July & August 2022 screened piles DYNO Dirt																																																																																																																																																		
Total content, lbs per ton (as rec'd)																																																																																																																																																					
<table border="1"> <thead> <tr> <th></th> <th></th> <th>Analysis (as rec'd)</th> <th>Analysis (dry weight)</th> <th></th> </tr> </thead> <tbody> <tr> <td colspan="5">NUTRIENTS</td> </tr> <tr> <td colspan="5">Nitrogen</td> </tr> <tr> <td>Total Nitrogen</td> <td>%</td> <td>1.20</td> <td>1.63</td> <td>24.0</td> </tr> <tr> <td>Organic Nitrogen</td> <td>%</td> <td>0.94</td> <td>1.28</td> <td>18.8</td> </tr> <tr> <td>Ammonium Nitrogen</td> <td>%</td> <td>0.258</td> <td>0.350</td> <td>5.2</td> </tr> <tr> <td>Nitrate Nitrogen</td> <td>%</td> <td>< 0.01</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5">Major and Secondary Nutrients</td> </tr> <tr> <td>Phosphorus</td> <td>%</td> <td>0.46</td> <td>0.62</td> <td>9.2</td> </tr> <tr> <td>Phosphorus as P2O5</td> <td>%</td> <td>1.05</td> <td>1.42</td> <td>21.0</td> </tr> <tr> <td>Potassium</td> <td>%</td> <td>0.25</td> <td>0.34</td> <td>5.0</td> </tr> <tr> <td>Potassium as K2O</td> <td>%</td> <td>0.30</td> <td>0.41</td> <td>6.0</td> </tr> <tr> <td>Sulfur</td> <td>%</td> <td>0.17</td> <td>0.23</td> <td>3.4</td> </tr> <tr> <td>Calcium</td> <td>%</td> <td>1.33</td> <td>1.80</td> <td>26.6</td> </tr> <tr> <td>Magnesium</td> <td>%</td> <td>0.19</td> <td>0.26</td> <td>3.8</td> </tr> <tr> <td>Sodium</td> <td>%</td> <td>0.040</td> <td>0.054</td> <td>0.8</td> </tr> <tr> <td colspan="5">Micronutrients</td> </tr> <tr> <td>Iron</td> <td>ppm</td> <td>3260</td> <td>4417</td> <td>6.5</td> </tr> <tr> <td>Manganese</td> <td>ppm</td> <td>227</td> <td>308</td> <td>0.5</td> </tr> <tr> <td>Boron</td> <td>ppm</td> <td>< 100</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5">OTHER PROPERTIES</td> </tr> <tr> <td>Moisture</td> <td>%</td> <td>26.19</td> <td></td> <td></td> </tr> <tr> <td>Total Solids</td> <td>%</td> <td>73.81</td> <td></td> <td>1476.2</td> </tr> <tr> <td>Organic Matter</td> <td>%</td> <td>43.80</td> <td>59.34</td> <td>876.0</td> </tr> <tr> <td>Ash</td> <td>%</td> <td>29.40</td> <td>39.83</td> <td>588.0</td> </tr> <tr> <td>Total Carbon</td> <td>%</td> <td>16.18</td> <td>21.92</td> <td></td> </tr> <tr> <td>Chloride</td> <td>%</td> <td>0.01</td> <td>0.01</td> <td></td> </tr> <tr> <td>pH</td> <td></td> <td>6.3</td> <td></td> <td></td> </tr> <tr> <td>Conductivity 1:5 (Soluble Salts)</td> <td>mS/cm</td> <td>5.1</td> <td></td> <td></td> </tr> </tbody> </table>							Analysis (as rec'd)	Analysis (dry weight)		NUTRIENTS					Nitrogen					Total Nitrogen	%	1.20	1.63	24.0	Organic Nitrogen	%	0.94	1.28	18.8	Ammonium Nitrogen	%	0.258	0.350	5.2	Nitrate Nitrogen	%	< 0.01	----	----	Major and Secondary Nutrients					Phosphorus	%	0.46	0.62	9.2	Phosphorus as P2O5	%	1.05	1.42	21.0	Potassium	%	0.25	0.34	5.0	Potassium as K2O	%	0.30	0.41	6.0	Sulfur	%	0.17	0.23	3.4	Calcium	%	1.33	1.80	26.6	Magnesium	%	0.19	0.26	3.8	Sodium	%	0.040	0.054	0.8	Micronutrients					Iron	ppm	3260	4417	6.5	Manganese	ppm	227	308	0.5	Boron	ppm	< 100	----	----	OTHER PROPERTIES					Moisture	%	26.19			Total Solids	%	73.81		1476.2	Organic Matter	%	43.80	59.34	876.0	Ash	%	29.40	39.83	588.0	Total Carbon	%	16.18	21.92		Chloride	%	0.01	0.01		pH		6.3			Conductivity 1:5 (Soluble Salts)	mS/cm	5.1		
		Analysis (as rec'd)	Analysis (dry weight)																																																																																																																																																		
NUTRIENTS																																																																																																																																																					
Nitrogen																																																																																																																																																					
Total Nitrogen	%	1.20	1.63	24.0																																																																																																																																																	
Organic Nitrogen	%	0.94	1.28	18.8																																																																																																																																																	
Ammonium Nitrogen	%	0.258	0.350	5.2																																																																																																																																																	
Nitrate Nitrogen	%	< 0.01	----	----																																																																																																																																																	
Major and Secondary Nutrients																																																																																																																																																					
Phosphorus	%	0.46	0.62	9.2																																																																																																																																																	
Phosphorus as P2O5	%	1.05	1.42	21.0																																																																																																																																																	
Potassium	%	0.25	0.34	5.0																																																																																																																																																	
Potassium as K2O	%	0.30	0.41	6.0																																																																																																																																																	
Sulfur	%	0.17	0.23	3.4																																																																																																																																																	
Calcium	%	1.33	1.80	26.6																																																																																																																																																	
Magnesium	%	0.19	0.26	3.8																																																																																																																																																	
Sodium	%	0.040	0.054	0.8																																																																																																																																																	
Micronutrients																																																																																																																																																					
Iron	ppm	3260	4417	6.5																																																																																																																																																	
Manganese	ppm	227	308	0.5																																																																																																																																																	
Boron	ppm	< 100	----	----																																																																																																																																																	
OTHER PROPERTIES																																																																																																																																																					
Moisture	%	26.19																																																																																																																																																			
Total Solids	%	73.81		1476.2																																																																																																																																																	
Organic Matter	%	43.80	59.34	876.0																																																																																																																																																	
Ash	%	29.40	39.83	588.0																																																																																																																																																	
Total Carbon	%	16.18	21.92																																																																																																																																																		
Chloride	%	0.01	0.01																																																																																																																																																		
pH		6.3																																																																																																																																																			
Conductivity 1:5 (Soluble Salts)	mS/cm	5.1																																																																																																																																																			

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	70182755	Biological & Physical Properties			Report Number: 22-283-4026	
Account: 25124	RUSTY WILLARD CITY OF DENTON 1100 SOUTH MAYHILL RD DENTON TX 76208			 Robert Ferris Client Service Representative 402-829-9871		
Date Sampled:	2022-09-26			July & August 2022 screened piles DYNO Dirt		
Date Received:	2022-09-27					
Sample ID:	JUL-AUG2022					
		Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method
Biological Properties						
Germination	90		%	1	TMECC 05.05A	
Germination Vigor	84		%	1	TMECC 05.05A	
CO ₂ OM Evolution	0.68		mgCO ₂ -C/gOM/day	0.01	TMECC 05.08B	
CO ₂ Solids Evolution	1.01		mgCO ₂ -C/gTS/day	0.01	TMECC 05.08B	
Fecal Coliform		< 0.2	mpn/g	0.2	EPA 1681	
Salmonella		< 1.2	mpn/4g	1.2	TMECC 07.02	
Stability Rating	Stable		N/A	N/A	TMECC 05.08B	
Physical Properties						
Bulk Density (Loose)	758		lbs/cu yard	1	WT/VOL	
Bulk Density (Packed)	910		lbs/cu yard	1	WT/VOL	
Film Plastics	n.d.		%	0.1	TMECC 03.08	
Glass Fragments	n.d.		%	0.1	TMECC 03.08	
Hard Plastics	n.d.		%	0.1	TMECC 03.08	
Metal Fragment	n.d.		%	0.1	TMECC 03.08	
Sharps	absent		---	0.1	TMECC 03.08	
Max. Particle Length		1.5	inches	N/A	TMECC Sieve	
Sieve % Passing 3"		100	%	0.01	TMECC Sieve	
Sieve % Passing 2"		100	%	0.01	TMECC Sieve	
Sieve % Passing 1.5"		100	%	0.01	TMECC Sieve	
Sieve % Passing 1"		100	%	0.01	TMECC Sieve	
Sieve % Passing 3/4"		100	%	0.01	TMECC Sieve	
Sieve % Passing 5/8"		100	%	0.01	TMECC Sieve	
Sieve % Passing 3/8"		100	%	0.01	TMECC Sieve	
Sieve % Passing 1/4"		99	%	0.01	TMECC Sieve	

Compost Results Interpretations

Page 1

Report #:

22-283-4026

DATE RECEIVED:

2022-09-27

Organic Matter %		Greater than 20% indicates a desirable range for compost on a dry weight basis.
43.80	As Received	
59.34	Dry Weight	

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

C/N Ratio		20-30 indicates an ideal range for the initial compost process. 10-20 indicates an ideal range for a finished compost.
13.5:1		

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

Moisture %		<35% = Indicates overly dry compost >55% = Indicates overly wet compost
26.19		

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #:

22-283-4026

DATE RECEIVED:

2022-09-27

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

Conductivity 1:5
5.1

Conductivity Level	Interpretation
Greater than 10	Very High nutrient content. Use for Ag Applications
5 - 10	High nutrient content. Use for Ag Applications
3 - 5	Higher than desirable for salt sensitive plants, some loss of vigor
0.6 - 3	Desirable range for most plants
0.3 - 0.6	Ideal range for greenhouse growth media
0.0 - 0.3	Very Low: Indicates very low nutrient status: plants may show deficiencies.

Compost Results Interpretations
Page 3

Report #: 22-283-4026
DATE RECEIVED: 2022-09-27

pH Value
6.3

0 to 14 scale with 6 to 8 as normal pH levels for compost
A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

Nutrient Index (Ag Index)
>10

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

AG INDEX CHART										
<i>salt injury possible</i>	<i>use on soils with excellent drainage characteristics, good water quality and low salts</i>				<i>you may use on soils with poor drainage, poor water quality, or high salts</i>				<i>for all soils</i>	
1	2	3	4	5	6	7	8	9	10	> 10

Nutrients (N+P205+K20)

3.45 Average Nutrient Content Dry Weight <2 = Low, >5 = High
1-1-0.5 Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.

22-283-4026

REPORT DATE
Oct 10, 2022
 RECEIVED DATE
Sep 27, 2022

SEND TO
25124



**Midwest
 Laboratories**[®]

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770
 www.midwestlabs.com

ISSUE DATE
Oct 10, 2022

**CITY OF DENTON
 RUSTY WILLARD
 1100 SOUTH MAYHILL RD
 DENTON TX 76208**

REPORT OF ANALYSIS
 For: (25124) CITY OF DENTON
 July & August 2022 screened piles
 DYNO Dirt
 City of Denton

Analysis	Level Found		Reporting		Method	Analyst- Date	Verified- Date
	As Received	Dry Weight	Units	Limit			

Sample ID: JUL-AUG2022 Lab Number: 70182755 Date Sampled: 2022-09-26 1530							
Cadmium (total)	n.d.	n.d.	mg/kg	0.50	EPA 6010	erw9-2022/09/28	th1-2022/10/06
Chromium (total)	6.63	8.98	mg/kg	1.00	EPA 6010	erw9-2022/09/28	th1-2022/10/06
Mercury (total)	0.07	0.10	mg/kg	0.05	EPA 7471	mrs3-2022/10/05	th1-2022/10/06
Lead (total)	5.8	7.9	mg/kg	5.0	EPA 6010	erw9-2022/09/28	th1-2022/10/06
Molybdenum (total)	n.d.	1.1	mg/kg	1.0	EPA 6010	erw9-2022/09/28	th1-2022/10/06
Nickel (total)	3.1	4.2	mg/kg	1.0	EPA 6010	erw9-2022/09/28	th1-2022/10/06
Selenium (total)	n.d.	n.d.	mg/kg	10.0	EPA 6010	erw9-2022/09/28	th1-2022/10/06
Zinc (total)	124.5	168.7	mg/kg	2.0	EPA 6010	erw9-2022/09/28	th1-2022/10/06
Copper (total)	43.9	59.5	mg/kg	1	EPA 6010	erw9-2022/09/28	th1-2022/10/06
Arsenic (total)	1.95	2.64	mg/kg	0.50	EPA 6020	ras7-2022/09/30	th1-2022/10/06

n.d. = not detected , ppm = parts per million, ppm = mg/kg

For questions please contact:


 Rob Ferris
 Account Manager
 rferris@midwestlabs.com (402)829-9871

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

